NO.: ZM2024Partcleaner Date:December 3rd, 2024 Page 1 of 7

**Applicant:** Guangdong Zhongmin Technology Innovation CO., LTD.

Address: Industrial Road No.1 Block C, Paisha Community, Longjiang Town, Shunde

District, Foshan city

**Canadian Supplier**: Impact Marketing Solutions Inc. **Address**: 4619, 63 Street, Red Deer, AB., Canada

Sample name: Brake Blaster

Suggested uses and restricted uses: used as a cleaner

Issue date: December 3, 2024

## **Test Requested:**

## Section 1: Chemical Product and Company Identification

English Name of Chemical: Brake Blaster

Company Name: Anhui Zhongtian Car Care Industry Co., Ltd Address: No. 2, East Road, Zhongxin Town, Anhui Province, China

Email: bbzn@biaobang.cn Postal Code: 511365 Product Code: Ba1050

Version: 2024

Emergency Phone (Country/Region Code) (Area Code) (Phone Number): 020-32968488,

020-32968498

Fax Number (Country/Region Code) (Area Code) (Phone Number): 020-32968800

NO.:ZM.04.005 Date:December 29th,2024 Page 2 of 7

## **Material Safety Data Sheet**

## Section 1: Chemical Product and Company Identification

Manufacturer Name: Anhui Zhongtian Car Care Industry Co., Ltd

Product Description: Brake & Parts Cleaner

Address: No. 2, East Road, Zhongxin Town, Anhui Province, China

Email: bbzn@biaobang.cn Postal Code: 511375 Product Code: Ba1050

Version: 2024

Emergency Phone (Country/Region Code) (Area Code) (Phone Number): 020-32968488,

020-32968498

Fax Number (Country/Region Code) (Area Code) (Phone Number): 020-32968800

## Section 2: Hazards Identification

Emergency Overview: Clear liquid, petroleum odor. Extremely flammable aerosol. Pressure Vessel: Explosive when exposed to heat. May be fatal if swallowed and enters respiratory tract. Causes skin irritation. Very toxic to aquatic organisms with long lasting effects.

## **GHS Hazard Classification:**

Physical Hazards Aerosols Category 1
Health Hazards Inhalation Hazards Category 1
Skin Corrosion/Irritation Category 2
Environmental Hazards Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long Term Hazard Category 1



GHS Label Elements: Signal Word: Danger.

Hazard Statements:

Pressure vessel; may burst when heated; contains gas under pressure; may explode if heated.

Flammable liquid and vapor.

**Precautionary Statements:** 

Prevention: Wear a self-contained breathing apparatus if the airborne concentration exceeds the exposure limit. Wear safety goggles to prevent splashes. Ensure adequate ventilation in the workplace. Smoking is strictly prohibited.

Response: In case of leakage, cut off all ignition sources immediately. Wear protective masks and gloves. Absorb the spill with sand and allow it to evaporate in a well-ventilated area. Alternatively, wash with a non-flammable dispersant and collect the waste liquid.

NO.: ZM2024Partcleaner Date: December 3rd, 2024 Page 3 of 7

Incident response: If swallowed by mistake: call a doctor or transport to the hospital immediately.

IF ON SKIN: Wash with plenty of soap and water.

If inhaled by mistake: transfer the victim to a fresh air place and keep the

victim in a comfortable position for breathing.

If you feel unwell, call a doctor or transport to the hospital.

Do not induce vomiting.

If skin irritation occurs: seek medical attention/visit a doctor. Remove all contaminated clothing and wash before reuse.

Collect the spillage.

Safe storage: Store in a well-ventilated place. Keep the container tightly sealed.

The storage place must be locked.

Protect from sun exposure. Do not expose to temperatures exceeding 50 °C

/122 °F.

Disposal: Dispose of the contents/container in accordance with local regulations.

Health hazards: Swallowing and entering the respiratory tract may be fatal. Causes skin irritation.

May cause drowsiness or dizziness.

Environmental hazards: Highly toxic to aquatic organisms with long-lasting effects.

Other hazards: None.

## Section 3: Composition/Information on Ingredients

Ingredient:	Concentration (%)	CAS No.
Alkane solvents	/ Proprietary	73513-42-5
LPG	/ Proprietary	68476-85-7
Alcohol solvents	/ Proprietary	64-17-5
Carbon dioxide	/ Proprietary	124-38-9
D-limonene	/ Proprietary	5989-27-5

## Section 4: First Aid Measures

INHALATION: If irritation occurs, move to fresh air. If irritation or other symptoms occur and persist, seek medical attention.

Skin contact: Wash with soap and water. If irritation develops and persists, seek medical attention.

EYE CONTACT: Flush thoroughly with water. If irritation persists, seek medical attention.

INGESTION: Inhalation hazard. Do not induce vomiting. Call a physician or transport to hospital.

POSSIBLE ACUTE AND DELAYED EFFECTS: Harmful or fatal if swallowed and enters

respiratory tract. If swallowed, may be inhaled and cause lung damage. May cause moderate skin irritation. Prolonged skin contact may cause dry skin. Inhalation may cause nasal and respiratory irritation and central nervous system effects such as headache, dizziness and nausea.

Individual protection of first aiders: Make sure that medical personnel are aware of the substances involved and take precautions to protect themselves.

Special tips for doctors: Provide general support measures and treat according to symptoms. In case of shortness of breath, administer oxygen. Keep the victim warm. Observe the patient. Symptoms may be delayed.

NO::ZM.04.005 Date:December 29th,2024 Page 4 of 7

## Section 6: Accidental Release Measures

OPERATOR PROTECTIVE MEASURES, PROTECTIVE EQUIPMENT AND EMERGENCY DISPOSAL PROCEDURES: Remove all sources of ignition. Use appropriate personal protective equipment. Provide good ventilation. Avoid generating and inhaling vapors. Avoid contact with skin and eyes. Based on the area of influence of liquid flow or vapor dispersion, establish a perimeter and evacuate uninvolved persons from the side winds, upwind.

Environmental Protection Measures: Avoid release to the environment. In case of leakage into the drainage system/aquatic environment, notify local authorities.

Take measures to prevent further leakage or spillage under conditions that ensure safety. Prevent spills from entering bodies of water, sewers, basements or confined spaces.

Methods of Sheltering and Removing Spilled Chemicals and Disposal Materials Used: Leaking tanks should be placed in plastic bags or open drums until pressure dissipates. Absorb the liquid with an inert absorbent and collect in a suitable container for disposal. Thoroughly clean the spill area. Report the spill to the appropriate authorities as needed.

Immediately clean up the spill to avoid further spills.

## Section 7: Handling and Storage

Precautions for handling:

LOCAL OR COMPREHENSIVE VENTILATION: Disposal should be carried out in an area with local or complete ventilation.

SAFETY INSTRUCTIONS: Operators should follow procedures and use personal protective equipment.

Precaution: Avoid contact with eyes and skin. Avoid inhalation of vapors or aerosols. Use only in a well-ventilated area.

Keep away from heat sources, sparks, pilot lights, hot surfaces and open flames. Unplug power tools, motors and appliances before spraying or placing can near any electrical source.

tools, motors and appliances. Electrical power can cause a hole in the container can and cause the contents to explode and catch fire. To avoid severe burns, do not

touch the battery wiring port, electrical connections on motors or appliances and any other power source. Thoroughly clean with soap and water after handling.

Wash. Keep container closed when not in use. Keep out of reach of children. Do not puncture, crush, or burn even empty containers.

or burn.

Storage Precautions:

SAFE STORAGE CONDITIONS: Store in a cool, well-ventilated area away from incompatible materials. Do not store in direct sunlight or above 120°F.

Do not store in direct sunlight or above 120°F. U.F.C. (NFPA 30B) Class 1 aerosols.

Substances to avoid: Strong oxidizing agents.

Safe Packaging Material: Store in original container.

## **Material Safety Data Sheet**

(MSDS)

NO::ZM.04.005 Date:December 29th,2024 Page 5 of 7

## Section 8: Exposure Controls/Personal Protection

OEL (Occupational Exposure Limit): Not available.

Monitoring Method: Gas Chromatography.

Engineering Controls: Ensure adequate ventilation during use. Smoking is strictly prohibited in the

work area.

Respiratory Protection: In case of excessive concentration in the air, wear a self-contained filtering

respirator (half-mask).

Eye Protection: Wear safety glasses to prevent splashes.

Body Protection: Generally, no special protection is required. Wear anti-static workwear for

high-concentration exposure.

Hand Protection: Wear rubber gloves.

## Section 9: Physical and Chemical Properties

Appearance: colorless to light yellow misty liquid

Odor threshold: no information

Molecular Formula: Mixture not applicable

Relative molecular weight: mixture not applicable Melting point/solidification point (°C): not available Boiling point/first boiling point (°C): not available

Relative density (water=1): 0.7-0.9

Saturated vapor pressure (20°C) (kPa): not available

Octanol/water partition coefficient: not available

Solubility in water: slightly soluble in water

Solubility in organic solvents: soluble in most organic solvents

Flash point (°C): not available

Autoignition temperature (°C): not available Decomposition temperature (°C): not available Flammability (solid, gas): flammable aerosol

pH value: no information

Viscosity (mPa-S): not available

## Section 10: Stability and Reactivity

Stability: Stable

Polymerization Hazard: Does not polymerize under normal conditions

Conditions to Avoid: None specified

Incompatible Materials: Strong oxidizers, alkaline chemicals

Decomposition Products: Does not decompose under normal conditions

NO::ZM.04.005 Date:December 29th,2024 Page 6 of 7

## **Section 11: Toxicological Information**

Acute Toxicity (LD50): Not available

Irritation: None
Sensitization: None
Mutagenicity: None
Teratogenicity: None

Reproductive Toxicity: Not available

Specific Target Organ System Toxicity - Single Exposure: Not available Specific Target Organ System Toxicity - Repeated Exposure: Not available

## Section 12: Ecological data

Acute Toxicity (Algae, Daphnia, Fish): Can pollute air, water environments, and water sources.

Special attention should be given to fish and mammals.

Ecological Toxicity: Not available

Persistence and Degradability: Not available Bioaccumulative Potential: Not available

## **Section 13: Disposal Considerations**

Waste Nature: Hazardous waste

Disposal Methods: Drain the canister after use or dispose according to national and local

regulations.

Disposal Precautions: Do not incinerate empty containers.

## **Section 14: Transport Information**

UN Number: 1950

UN Shipping Name: Aerosol UN Hazard Classification: 2.1

Packing group: Class I

Packing Method: Tinplate aerosol cans, cartons.

Transportation Precautions: Prevent violent collision and avoid high temperature; prohibit mixing

with oxidizers.

## Section 15: Regulatory Information

China's chemical safety management regulations:

Regulations on the Safe Management of Chemical Hazardous Substances ([March 2, 2011] issued by the State Council)

Regulations on the Safe Use of Chemicals in the Workplace ([1996] Ministry of Labor Issued No. 423)

GB 6944 Classification of Dangerous Goods and Product Numbers

GB/T 16483 Content and order of items of safety technical instructions for dangerous goods

GB 13690 General Rules for Classification of Chemicals and Publication of Hazards

NO.:ZM.04.005 Date:December 29th,2024 Page 7 of 7

## Section 15: Regulatory Information

GB 12268 Dangerous goods article name list

GB 15258 Provisions on the preparation of safety labels for chemicals

GBZ 2.1 Occupational Exposure Limits for Hazardous Factors in the Workplace Part 1: Chemical Hazardous Factors

The regulations on the safe use, production, storage, transportation, loading and unloading of chemical hazardous materials have been stipulated accordingly.

## **Section 16: Other Information**

References:

Date of filling: January 10, 2024 Filled by: Technical Center

Data Audit Unit: Anhui Zhongtian Car Care Industry Co., Ltd

Modification description: modified every 5 years

\*\*\*End of MSDS\*\*\*